



PLACEMENT DATA

- 1 DIG 4' X 4' SPLICE PIT
R/C 4M
- 2 LOCATE AND EXPOSE
1 OF 4 EXISTING MTD DUCT STRUCTURES
TO CLEAR BLOCKAGE & REPAIR
MAKING GOOD FROM MH 7340 TO MH 7339
R/C 4M



CONSTRUCTION REQUIREMENTS

- 1. MAINTAIN MINIMUM COVER OF 36" BELOW FLOW LINE.
- 2. VERIFY EXISTING SUBSTRUCTURES PRIOR TO EXCAVATION.
- 3. ALL 4" TO CONFORM TO PTS.-77 OR EQUIVALENT.
- 4. ALL 2" TO CONFORM TO PTS.-66 OR EQUIVALENT.
- 5. ALL BACKFILL TO BE SAND 12" BELOW AND 6" ABOVE.
- 6. DO NOT BACKFILL OVER ANY TELEPHONE BURIED SPLICE LOCATIONS UNTIL AUTHORIZED BY TELEPHONE COMPANY INSPECTOR.
- 7. PLACE # 6 TINNED GROUND WIRE AT BONDING POINTS. (SEE BONDING DETAIL)
- 8. PLACE PULL ROPE IN NEW CONDUIT.
- 9. DO NOT CUT CURB & GUTTER
- 10. ALL SURFACES AND LANDSCAPES WHICH HAVE BEEN REMOVED OR DAMAGED IN THE COURSE OF CONSTRUCTION SHALL BE RECONSTRUCTED OR REPLACED TO AT LEAST EQUAL OR BETTER THAN THE PREVIOUS OR ADJACENT SURFACE.
- 11. ALL TRAFFIC CONTROL TO BE IN ACCORDANCE WITH THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) LATEST EDITION.
- 12. PER AT&T GUIDELINES, ALL HANDHOLES, SPLICE BOXES, AND MANHOLES TO BE PURCHASED FROM EITHER NEWBASE OR UTILITY VAULT.

THIS PROJECT REQUIRES EXCAVATION. CONSTRUCTION WILL UTILIZE AND IMPLEMENT ALL BEST MANAGEMENT PRACTICES (BMP's) AS REQUIRED TO ENSURE COMPLIANCE WITH AT&T POLICY LETTER ISSUE FEBRUARY 21, 2003 AND REVISED IN OCTOBER 2005 BY ENVIRONMENTAL MANAGEMENT CONCERNING STORM WATER PERMITTING AND STORM WATER POLLUTION PREVENTION PLANS (SWPPP's) AND IN ACCORDANCE WITH THE CLEAN WATER ACT (1972) AND EPA REGULATIONS PUBLISHED IN 1990 AS MODIFIED BY THE PHASE II RULE IN 1999.

LOCATION: S BURGER AVE, WIS OF STREET, 216'-6" W/O C/L OF S FORD AVE.

DESCRIPTION: DIG 4'X4' SPLICE PIT TO CLEAR BLOCKAGE BETWEEN MH 7339 AND MH 7340.

BACKFILL SHALL BE PER COUNTY OF LOS ANGELES STANDARDS.

STREET TYPE	SOIL CLASS	PROPOSED BACKFILL
MAJOR	N/A	N/A
SECONDARY	N/A	N/A
LOCAL	N/A	N/A
ALLEY	N/A	N/A

CONDUIT RECORD: E310C274
MINES ST
EASTERN AVE TO DUNCAN AVE &
OLYMPIC BLVD INTERSECTION
SUB MAP #: N/A

STREET NAME N/A
MATERIAL N/A
LINEAR FEET N/A



EXCAVATION DATA

CITY OF: COUNTY OF LOS ANGELES
PLACING: SPLICE PIT

EXCAVATION IN	
EXCAVATION IN CONCRETE SIDEWALK	4' X 1' = 4 SQ FT
EXCAVATION IN ASPHALT STREET	12' X 1' = 12 SQ FT
EXCAVATION IN ASPHALT ALLEY	
EXCAVATION IN DIRT	

TOTAL EXCAVATION: 16 SQ FT
NUMBER OF CUTS: 1

DATE	ATTID	DESIGN ENGINEER
08/14/13	CHC/JA6071	ANTHONY KISTLER
CHECKED		626-570-5421
APPROVED	08/23/13	AK2537 @ att.com
DATE	REVISIONS	FACILITY ENGINEER
		PHILLIP MUNOZ
		TELEPHONE NUMBER
		310-515-4246
		OFFICE
		E3-10
		CENTRAL OFFICE
		ANGELUS

SCALE: 1" = 20' THOMAS GUIDE
FILENAME: E310 9058705 REL 2.dwg
DRAWING: 1/1

Consulting, LLC
1700 E. Garry Ave., Suite 210
Santa Ana, CA 92705
(949) 250-0004 / FAX (949) 250-0006